

## MEASURE COLLECT FORM

### *Straight Line Wipers*

Company: .....

Reference: .....

SIZE AND WINDOW SHAPE (*)		Window 1	Window 2	Window 3
<b>a/b</b>	Motor installed above or below the window (a = above ; b = below)	<input type="checkbox"/> a <input type="checkbox"/> b	<input type="checkbox"/> a <input type="checkbox"/> b	<input type="checkbox"/> a <input type="checkbox"/> b
<b>i/e</b>	Internal or external motor position (i = internal ; e = external)	<input type="checkbox"/> i <input type="checkbox"/> e	<input type="checkbox"/> i <input type="checkbox"/> e	<input type="checkbox"/> i <input type="checkbox"/> e
<b>B</b>	Width [mm]			
<b>H</b>	Height [mm]			
<b>C</b>	Vertical distance between wiper frame edge and window [mm]			
<b>R</b>	Distance between the window and the adjacent one [mm]			
<b>D</b>	Bulkhead thickness [mm]			
<b>F</b>	Recesses glass [mm]			
<b>β</b>	Window inclination [deg]			

(\*) It is recommended to send a CAD drawing with the front views / sections and window arrangement for applications with more wipers and / or non-rectangular windows.

#### FEATURES AND ACCESSORIES

##### MOTOR POWER SUPPLY

- 12Vdc     24Vdc     Other: \_\_\_\_\_  
 110Vac     230Vac

##### OPTIONS

- Heated wipers version  
 Custom surface finish : \_\_\_\_\_  
 Spray nozzles on wiper frame  
 Wall mounted spray nozzles  
 Window washer systems accessories

##### CONTROL SYSTEM

- None, I want to use third party switches  
 Arms synchronization  
 Group motor drive  
 Single speed continuous and intermittent  
 Continuous and intermittent double speed  
 Auxiliary drive (window washer cycle, etc.)

